

# KleerBlue™

DEF Storage & Dispensing Systems



## KleerBlue 2600/4400 Gallon Ultra Remote Tanks

Large Storage. Robust. Sleek Design.

Store more DEF without sacrificing aesthetics with KleeBlue's 2600 or 4400 Gallon Ultra Tanks! These attractive outdoor, aboveground tanks are engineered to withstand extreme temperatures while supplying remote dispensers. And, with the glossy white exterior, these tanks look great at any facility! Need multiple fueling lanes? Expecting an increase in DEF demand? If so, you'll want to consider these large volume tanks.

### Integrate into Your Existing Facilities

- Supply up to 6 dispensers at multiple fueling lanes.
- The white weather-proof exterior can be customized to match your overall facility branding and design.
- Aboveground nature of the system allows you to relocate the unit and/or resell it as DEF demand grows.

### Built for All Weather Conditions

- Industrial-grade insulation protects against both extreme heat and cold.
- KleeBlue's forced air heating system allows you to dispense DEF even in the most extreme temperatures.

### Volume Matters

- Large 2600 or 4400 gallon volume allows for larger deliveries to help ensure you never run out of DEF.
- Large capacity makes it easier to add additional remote dispensers and fueling lanes as DEF usage increases.

### Quality that Brings Peace of Mind

- Secondary containment design ensures even in the event of a leak, the liquid will stay between the inner and outer walls.
- Ultra sleek white glossy weather-proof exterior is designed to look great at any facility!
- The tank design features mechanical overflow protection.

# Looking for DEF dispensers that will work with your site controllers?

Check out our APEX & REGAL dispensers.

[www.KleerBlueSolutions.com](http://www.KleerBlueSolutions.com)

## Product Specifications



### Standards & Approvals:

- ISO 22241 - 3 & 4
- Partially covered by patent: US 9,669,991 B1



### Operating Temperature:

- -22°F/-30°C to 130°F/54°C



### Size & Dimensions:

- Capacity: 2600 gallons
- Dimensions: 98" width x 144" length x 122" height
- Capacity: 4400 gallons
- Dimensions: 130" width x 175" length x 122" height



### Tank and Enclosure:

- Secondary containment
- HDLPE single wall inner tank
- Composite steel smooth white exterior panels for strength & damage resistance
- Fill & service access door
- Inside enclosure light



### Insulation & Heating:

- R-14 Insulation
- Forced air heating system
- Option: Exhaust fan/vent for warm climates



### Electrical:

- 115V 20 amp and 115V 30 amp circuits required (1 each)
- UL-508A panel with 1 pump and 4 dispenser relays
- Option: UL-508A panel with 2 pumps and 8 dispenser relays



### Pump:

- 3/4 HP submersible pump
- Option: Additional 3/4 HP submersible pump
- Option: Upgrade to 1 HP submersible pumps



### Security/Accident Prevention:

- Lockable access door
- Pressure vacuum vent
- Mechanical overfill protection
- Option: Digital tank gauge
- Option: Audible/Visual low temperature alarm



### Fill Inlets:

- 2" stainless steel lockable ball valve
- Option: 2" stainless steel drybreak (Parker, OPW or TODO)



# KleeBlue™